

Strapbinder®



High Performance Industrial Hose Clamps, Sign Mounting Systems, Banding, Buckles and Application Tools



Made in the U.S.A.

PROVEN DESIGNS, BILLIONS OF TIMES | IDEALTRIDON.COM

8100 TRIDON DRIVE SMYRNA, TN 37167

1-800-251-3220 • STRAPBINDER.COM

High Quality Products

Strapbinder® by Ideal-Tridon is a securement products industry leader, with products used in a variety of industries including agriculture, oil/petroleum, mining, chemical, marine, general construction, utilities and municipalities. Our industrial hose line, used in the fabrication of industrial hose assemblies, consists of preformed, smooth seal hose clamps. Our smooth seal clamps, both J-Series and Center Punch, are engineered to minimize leak paths and ensure hose integrity. For larger diameter hoses and other general applications, including the fastening of signs, utility boxes and traffic signals, we offer stainless steel banding, buckles and a line of mounting brackets, accessories and battery and manual application tools.

As part of Ideal Clamp Products, Inc., a leading and highly diversified designer and manufacturer of worm gear and specialty clamps for auto, heavy duty, industrial, plumbing, marine and specialty clamps used in a broad range of fastening, securing and sealing applications. We have over 100 years of experience in the manufacturing of stainless steel products.

Strapbinder® by Ideal-Tridon is committed to delivering quality products at a high level of service with the goal to exceed customer expectations. We will strive to continue this tradition and encourage you to be part of a long list of satisfied customers.

- **Knowledgeable customer service**
- **In stock, no-hassle ordering**
- **Made in the U.S.A.**

T: 1-800-251-3220
F: 1-615-223-1550
STRAPBINDER.COM

Index

Adaptor, J-series tool	8
Banding	5
Mill wound coils	5
Self dispensing coil, 100 ft.	5
Self dispensing coil, 200 ft.	5
Stainless steel coils.	5
Steel banding	9
Steelbinder job site.	9
Economy coils.	5
Ribbon wound coils.	9
Strapbinder Manual Tools	8
Totes, 100 ft	5
Bigbinder banding.	5
Sign hanging.	10
Bolt clamp, Polebinder.	10
Brackets, sign hanging.	10
Buckles and seals	6
Aluminum seals.	6
Buckle and band kits.	10
Crimp type seals.	6
Eared seals	6
Heavy duty	6
Screwbinder buckles	6
Winged seals	6, 9
Center punch hose clamps	4
Center punch tools.	8
Center Punch Attachment, Grip Clamp Tool	7
Clamps	3, 4
Center punched stainless steel	4

Center punched galvanized carbon steel	4
J-Series stainless steel	3
J-Series galvanized steel	3
Pusher Seals	6
Flared leg brackets	10
Grip Clamp Tool and Attachments	7
Hose clamps, preformed	3, 4
J-Series hose clamps	3
Job site banding, coils, strapping	9
Leg brackets, flared	10
Polebinder bolt clamp	10
Preformed hose clamps	3, 4
Seals & buckles	6
Sign Hanging Accessories	10
Sign securement hardware.	10
Polebinder bolt clamp	10
Sign brackets	10
Flared leg brackets.	10
Self dispensing stainless coils	5
Screwbinder buckles	6
Spin tight tools	8
Stainless steel banding coils.	5
Steelbinder banding coils.	9
Totes, 100 ft coils.	5
Tools, tensioning	7, 8, 10
Center punch	7, 8
J-Series adaptors.	8
Spin tight tools	8
Winged seals	6

**Please note hose pictures on the front cover are for product viewing only and do not represent the recommended clamp orientation on a hose assembly. **

PREFORMED HOSE CLAMPS

J-Series

Strapbinder J-Series clamps are ideal for most industrial hose clamping applications. Available in multiple diameters and band widths, our J-Series clamps are offered in 201 stainless steel or high strength galvanized steel with heavy duty stainless steel buckles. J-Series clamps will work with any of the bench mounted, pneumatic machines in the industry. Clamps can also be applied with the Strapbinder ST-001 manual spin tight tool and the HBJ-001 adapter or for maximum efficiency, our battery operated Grip Clamp tool.



STAINLESS STEEL

Item No.	Part No.	Clamp Inside I.D.		Band Width		Band Thickness		Qty/Box	Weight	
		in	mm	in	mm	in	mm		lbs	kg
HBJS-201	HBJS201SS	13/16	20.5	3/8	9.4	.025	.64	100	3.6	1.6
HBJ-242	SCX0242011	1	25.4	1/4	6.3	.020	.51	100	2.1	1.0
HBJS-243	HBJS243SS	1	25.4	3/8	9.4	.025	.64	100	3.4	1.5
HBJS-202	HBJS202SS	1-3/8	34.8	3/8	9.4	.025	.64	100	4.7	2.1
HBJS-203	HBJS203SS	1	25.4	1/2	12.7	.030	.76	100	6.5	2.9
HBJS-204	HBJS204SS	1-1/4	31.7	1/2	12.7	.030	.76	100	7.2	3.3
HBJ-241	SCX0241011	1-3/8	34.8	1/4	6.3	.020	.51	100	2.5	1.1
HBJS-205	HBJS205SS	1-1/2	38.1	5/8	15.7	.030	.76	100	10.4	4.7
HBJS-206	HBJS206SS	1-3/4	44.4	5/8	15.7	.030	.76	100	11.3	5.1
HBJS-245	HBJS245SS	2	50.8	3/8	9.4	.025	.64	100	5.5	2.5
HBJS-207	HBJS207SS	2	50.8	5/8	15.7	.030	.76	100	12.2	5.5
HBJS-208	HBJS208SS	2-1/4	57.1	5/8	15.7	.030	.76	100	13.3	6.0
HBJS-209	HBJS209SS	2-1/2	63.5	5/8	15.7	.030	.76	100	13.9	6.3
HBJS-210	HBJS210SS	2-3/4	69.8	3/4	19.0	.030	.76	50	9.2	4.2
HBJS-211	HBJS211SS	3	76.2	3/4	19.0	.030	.76	50	9.7	4.4
HBJS-212	HBJS212SS	3-1/2	88.9	3/4	19.0	.030	.76	50	10.8	4.9
HBJS-213	HBJS213SS	4	101.6	3/4	19.0	.030	.76	25	6.1	2.8
HBJS-214	HBJS214SS	4-1/2	114.3	3/4	19.0	.030	.76	25	6.7	3.0
HBJS-215	HBJS215SS	5	127.0	3/4	19.0	.030	.76	25	7.2	3.3
HBJS-216	HBJS216SS	6	152.4	3/4	19.0	.030	.76	25	8.2	3.7
HBJS-218	HBJS218SS	7	177.8	3/4	19.0	.030	.76	25	10.2	4.6
HBJS-219	HBJS219SS	8	203.2	3/4	19.0	.030	.76	25	11.0	5.0

GALVANIZED STEEL

Item No.	Part No.	Clamp Inside I.D.		Band Width		Band Thickness		Qty/Box	Weight	
		in	mm	in	mm	in	mm		lbs	kg
HBJS-301	HBJS301G	13/16	20.5	3/8	9.4	.027	.69	100	3.6	1.6
HBJS-343	HBJS343G	1	25.4	3/8	9.4	.027	.69	100	3.9	1.8
HBJS-302	HBJS302G	1-3/8	34.8	3/8	9.4	.027	.69	100	4.7	2.1
HBJS-304	HBJS304G	1-1/4	31.7	1/2	12.7	.027	.69	100	7.2	3.3
HBJS-305	HBJS305G	1-1/2	38.1	5/8	15.7	.027	.69	100	10.4	4.7
HBJS-306	HBJS306G	1-3/4	44.4	5/8	15.7	.027	.69	100	11.3	5.1
HBJS-307	HBJS307G	2	50.8	5/8	15.7	.027	.69	100	12.2	5.5
HBJS-309	HBJS309G	2-1/2	53.5	5/8	15.7	.027	.69	100	13.9	6.3
HBJS-312	HBJS312G	3-1/2	88.9	3/4	19.0	.027	.69	50	10.8	4.9
HBJS-313	HBJS313G	4	101.6	3/4	19.0	.027	.69	25	6.1	2.8
HBJS-314	HBJS314G	4-1/2	114.3	3/4	19.0	.027	.69	25	6.7	3.0
HBJS-315	HBJS315G	5	127.0	3/4	19.0	.027	.69	25	8.2	3.7

In stock, no-hassle ordering 1-800-251-3220 • STRAPBINDER.COM

Center Punch

Strapbinder center punch clamps are an economical alternative for less demanding hose applications. Unlike other competitive clamps on the market, Strapbinder offers the only center punch clamp that provides a smooth inside diameter to minimize leak paths. Available in multiple diameters, center punch clamps are 5/8" wide and double wrapped for added strength. They are available in 201 stainless steel or high strength galvanized steel with heavy duty stainless steel buckles. Center punch clamps can be applied with our HBC300 Tensioner tool or our Grip Clamp battery operated tool.



STAINLESS STEEL

Item No.	Part No.	Clamp ID		Qty/Box	Carton Weight	
		inch	mm		lbs	kg
HBC3S*	HBC3SCENPU	13/16	20.5	100	3.6	1.6
HBC311S*	HBC311SCEN	1-3/8	34.8	100	4.6	2.1
HBC4S	HBC4S	1	25.4	100	8.3	3.8
HBC5S	HBC5S	1-1/4	31.7	100	8.7	3.9
HBC6S	HBC6S	1-1/2	38.1	100	9.7	4.4
HBC7S	HBC7S	1-3/4	44.4	100	10.6	4.8
HBC8S	HBC8S	2	50.8	100	11.5	5.2
HBC9S	HBC9S	2-1/4	57.1	100	12.6	5.7
HBC10S	HBC10S	2-1/2	63.5	50	6.8	3.1
HBC11S	HBC11S	2-3/4	69.8	50	7.3	3.3
HBC12S	HBC12S	3	76.2	50	7.7	3.5
HBC14S	HBC14S	3-1/2	88.9	50	8.7	3.9
HBC16S	HBC16S	4	101.6	25	4.9	2.2
HBC18S	HBC18S	4-1/2	114.3	25	5.5	2.5
HBC20S	HBC20S	5	127.0	25	5.9	2.7
HBC24S	HBC24S	6	152.4	25	6.8	3.1
HBC28S	HBC28S	7	177.8	25	7.4	3.4
HBC32S	HBC32S	8	203.2	25	8.2	3.7



GALVANIZED CARBON STEEL

Item No.	Part No.	Clamp ID		Qty/Box	Carton Weight	
		inch	mm		lbs	kg
HBC3*	HBC3CENPUN	13/16	20.5	100	3.6	1.6
HBC311*	HBC311CENP	1-3/8	34.8	100	4.6	2.1
HBC4	HBC4	1	25.4	100	8.3	3.8
HBC5	HBC5	1-1/4	31.7	100	8.7	3.9
HBC6	HBC6	1-1/2	38.1	100	9.7	4.4
HBC7	HBC7	1-3/4	44.4	100	10.6	4.8
HBC8	HBC8	2	50.8	100	11.5	5.2
HBC9	HBC9	2-1/4	57.1	100	12.6	5.7
HBC10	HBC10	2-1/2	63.5	50	6.8	3.1
HBC11	HBC11	2-3/4	69.8	50	7.3	3.3
HBC12	HBC12	3	76.2	50	7.7	3.5
HBC14	HBC14	3-1/2	88.9	50	8.7	3.9
HBC16	HBC16	4	101.6	25	4.9	2.2
HBC18	HBC18	4-1/2	114.3	25	5.5	2.5
HBC20	HBC20	5	127.0	25	5.9	2.7
HBC24	HBC24	6	152.4	25	6.8	3.1
HBC28	HBC28	7	177.8	25	7.4	3.4
HBC32	HBC32	8	203.2	25	8.2	3.7

* 3/8" band width x 0.027" thickness (9.4 mm x 0.69 mm)

STAINLESS STEEL BANDING



Strapbinder stainless steel banding is available in Type 201, 304 or 316 stainless steel. Strapbinder stainless is ideal for large diameter hose assemblies, sign securement, insulation applications and general construction use. It is made with a full round edge for safer handling.

Type 201 Stainless Steel

Type 201 stainless steel has excellent mechanical properties and strength. Due to its high work hardening rate, it possesses uniform elongation for improved stretchability for severe forming applications such as strapping bands and preformed hose clamps.

Type 304 Stainless Steel

Type 304 stainless steel is an 18% chromium and 8% nickel alloyed stainless steel. Used most often in outdoor industrial applications, it offers good corrosion resistance and is weldable.

Type 316 Stainless Steel

Type 316 stainless steel provides superior corrosion resistance, making it ideal for use near salt water and petrochemical facilities.



Item No.	Part No.	Width		Type	Thickness		Weight		Qty/Coil	
		inch	mm		inch	mm	lbs	kg	ft	M

100 ft. Self Dispensing Coils

ST202	BLJX0220S	1/4	6.3	201	.020	.51	1.7	0.9	100	30
ST203	BLJX0325S	3/8	9.5	201	.025	.63	3.2	1.6	100	30
ST204	BLJX0430S	1/2	12.7	201	.030	.76	5.1	2.4	100	30
ST205	BLJX0530S	5/8	15.8	201	.030	.76	6.4	3.0	100	30
ST206	BLJX0630S	3/4	19.0	201	.030	.76	7.7	3.6	100	30
ST404	BLRX0430S	1/2	12.7	316	.030	.76	5.1	2.4	100	30
ST406	BLRX0630S	3/4	19.0	316	.030	.76	7.7	3.6	100	30



Item No.	Part No.	Width		Tote Color	Thickness		Weight		Qty/Coil	
		inch	mm		inch	mm	lbs	kg	ft	M

100 ft. Plastic Totes (Type 201 Stainless Steel)

ST204B	BLJX0430B	1/2	12.7	Blue	.030	.76	5.1	2.4	100	30
ST205G	BLJX0530G	5/8	15.8	Green	.030	.76	6.4	3.0	100	30
ST206R	BLJX0630R	3/4	19.0	Red	.030	.76	7.7	3.6	100	30



200 ft. Economy Coils for Light Duty Applications

ST128/904	BLPX04155	1/2	12.7	304	.015	.38	5.5	2.5	200	61
ST183/914	BLPX04205	1/2	12.7	304	.020	.51	7.0	3.2	200	61
ST184	BLPX04254	1/2	12.7	304	.025	.63	8.5	3.6	200	61
ST129/905	BLPX05152	5/8	15.8	304	.015	.38	6.4	3.0	200	61
ST129.5/915	BLPX05202	5/8	15.8	304	.020	.51	8.5	3.6	200	61
ST163/916	BLPX06200	3/4	19.0	304	.020	.51	11.2	5.1	200	61
ST165	BLPX06259	3/4	19.0	304	.025	.63	12.7	5.8	200	61



Bigbinder Band

ST430	BLJX06446	3/4	19.0	201	.044	1.1	11.6	5.4	100	30
ST431	BLJX08443	1	25.4	201	.044	1.1	13.7	6.4	100	30
ST432	BLJX10445	1-1/4	31.8	201	.044	1.1	17.2	8.0	100	30

Mill Wound Coils

BLCPX04155	BLCPX04155	1/2	12.7	Oscillate	.015	.38	100	45.4	3,920	1195
BLCPX05202	BLCPX05202	5/8	15.8	Oscillate	.020	.51	100	45.4	2,300	701
311SSR900	311SSR900	3/4	19.0	Ribbon	.020	.51	42	19.1	900	274
311SSV2000	311SSV2000	3/4	19.0	Oscillate	.020	.51	100	45.4	2,000	610



In stock, no-hassle ordering 1-800-251-3220 • STRAPBINDER.COM

Strapbinder seals and buckles are ideal for forming applications such as strapping bands and preformed hose clamps.



Buckles

Available in an ear style or heavy duty, Strapbinder buckles are made with Type 201 or Type 316 stainless steel to suit a wide variety of applications.

Item No.	Part No.	Buckle Style	Material	Width		Qty/Box	Weight	
				inch	mm		lbs	kg
ST252	SLCOX0241S	Ear	201	1/4	6.3	100	.3	.1
ST253	SLCOX0341S	Ear	201	3/8	9.5	100	.8	.4
ST254	SLCOX0441S	Ear	201	1/2	12.7	100	2.1	1.0
ST255	SLCOX0541S	Ear	201	5/8	15.8	100	2.4	1.1
ST256	SLCOX0641S	Ear	201	3/4	19.0	100	3.7	1.7
ST454	SLCRX0411S	Ear	316	1/2	12.7	100	2.1	1.0
ST456	SLCRX0611S	Ear	316	3/4	19.0	100	3.7	1.7
ST440	SLCOX0640S	Heavy duty	201	3/4	19.0	25	1.8	.8
ST441	SLCOX0840S	Heavy duty	201	1	25.4	25	2.4	1.1
ST442	SLCOX1000S	Heavy duty	201	1-1/4	31.8	25	3.2	1.4



Wing Seals

Grade 304 Stainless Steel Wing Seals can be used with Strapbinder economy stainless steel strapping and Steelbinder Strapping.

Item No.	Part No.	Width		Qty/Box	Weight	
		inch	mm		lbs	kg
Aluminum						
202AL	SLJSX04139	1/2	12.7	1,000	3.0	1.3
Stainless Steel						
ST154	202SSXX100	1/2	12.7	100	1.1	0.5
ST156	ST156VALUE	3/4	19.0	100	2.1	0.9
ST202SS	SLJPX04134	1/2	12.7	1,000	10	5.0
ST203SS	SLJPX05131	5/8	15.8	1,000	18	5.0
ST204SSHD	SLJPX06436	3/4	19.0	1,000	21	9.5



Specialty Seals

Grade 304 Crimp style stainless steel pusher seals. Use with single notch sealers. Ideal for outdoor industrial applications.

Item No.	Part No.	Width		Qty/Box	Weight	
		inch	mm		lbs	kg
ST1532SS	SSHXP04130	1/2	12.7	1,000	12.0	5.5
ST1534SS	SSHXP06135	3/4	19.0	1,000	15.0	6.8



Screwbinder™ Buckles

Screwbinder™ Buckles are used in applications when a temporary clamp is desired or space limitations do not allow for tool roll-over. A set screw locks the band after tensioning.

Item No.	Part No.	Width		Qty/Box	Weight	
		inch	mm		lbs	kg
ST724	CPXC872121	1/2	12.7	25	.5	0.2
ST726	CPXC872132	3/4	19.0	25	.9	0.4

GRIP CLAMP TENSIONING TOOLS

For Hose Clamp and Sign Securement



Part #800500

Battery Powered Clamping Tool

Battery Powered Clamping Tool for stainless and galvanized 5/8" and 3/4" J-Series clamps. Tensions, locks and cuts the strap. Unlimited take up, no refeeding. 125 clamps per charge.



Part #800505

Battery Powered Bench Mounted System

Battery powered clamping tool with foot pedal and bench mount fixture for J-Series clamps. Dual use versatility. Portable for field repairs but also bench mountable for in-house production assemblies.



Part #800800

Battery Powered Center Punch Tensioning Tool

Battery Powered Center Punch Tensioning tool for 5/8 stainless steel and galvanized clamps. Single touch operation. Preset tension settings yield consistent tension on each clamp applied.



Part #800805

Battery Powered Band and Buckle Tensioning Tool

Consistent tensioning of 1/2" - 5/8" and 3/4" stainless strapping. Excellent option for large diameter hose, sign securement and bundling applications. Use with ear style buckles or wing seals.

ACCESSORIES



Part #800638

Center Punch Attachment


Center Punch Attachment easily attaches to the GripClamp tool for the application of center punch clamps. Will accept most brands of 5/8" stainless and galvanized clamps.



Part #800637

Band and Buckle Attachment

Band and Buckle Attachment easily attaches to the GripClamp tool for use with band and buckle.



Part #800802

J Series Attachment

J Series Attachment easily attaches to the GripClamp Tool for the application of stainless and galvanized J Series clamps.

TENSIONING TOOLS

For Hose and Sign Securement

For hose and sign securement applications, Strapbinder offers center punch tools for use with center punch clamps and spin tight tools to tension bands and buckles. All of our tools are lightweight and easy to use.



Center Punch Tools

HBC-300

The HBC-300 is a rugged, ratchet action tool designed for fast, efficient application of center punch clamps.

HBC-032

This adaptor is easily inserted into the HBC-300 center punch tool. For use with 3/8" (9.4 mm) band width clamps.

HBC-038

The light duty HBC-038 is a ratchet style center punch clamp application tool. Its portable design makes it ideal for field repairs.

Item No.	Part No.	Description	Weight	
			lbs	kg
HBC-300	CGXA874455	Center punch for 5/8" (15.7 mm) clamps	3.0	1.4
HBC-032	HBC032ADPT	3/8" (9.4 mm) adaptor insert for HBC-300 tool	0.5	0.2
HBC-038	CGXA721011	Light duty punch for 3/8" and 5/8" (9.4—15.7 mm) clamps	1.0	0.2



Spin Tight Tools

The spin tight tensioner features a spring-loaded gripper for more efficient band handling. A black chromium finish provides corrosion resistance. The ST001 and the ST402B are used for tensioning stainless steel bands and buckles.

ST-001

The ST-001 features a spring loaded gripper lever for more efficient strap handling. The cut-off handle is vinyl clad for easier operation. For use up to 3/4" x .030 band width.

ST402B

For heavy duty applications, the ST402B Bigbinder Spin Tight Tool, can pull up to 6,000 lbs. (2668 N) of tension. The built-in cutter cuts off band prior to buckle closing.

Item No.	Part No.	Description	Weight	
			lbs	kg
ST-001	CGXA87499S	For stainless steel bands up to 3/4" x .030 (19 x .76 mm) Tensions up to 2400 lbs. (1068 N)	4.5	2.0
ST402B	CGXA871402	For stainless steel bands from 3/4" x .044 to 1-1/4" x .048 (19 x 1.12 mm to 31.8 x 1.22 mm) Tensions up to 6,000 lbs. (2668N)	11.0	5.0

J-Series Adaptor

HBJ-001

The HBJ-001 adaptor allows J-Series preformed clamps to be applied in conjunction with the ST-001 Spin Tight Tool. High tension capability with simple "lift and lock" securement.

Item No.	Part No.	Description	Weight	
			lbs	kg
HBJ-001	CXXA871714	For use with J-series preformed clamps and ST-001 spin tight tool	1.5	0.7

In stock, no-hassle ordering 1-800-251-3220 • STRAPBINDER.COM

STEELBINDER™ "JOB SITE" STRAPPING



Painted and waxed Steelbinder™ is made from tempered shock resistant steel for a wide range of packaging applications. Ductile enough to withstand a 100 degree bend without breaking, Steelbinder has smooth edges and exhibits a constant strength and elongation. It is used for a variety of light duty packaging applications and is ideal for round and irregular shaped packages.



Economy Coils-Job Site

Item No.	Part No.	Width		Thickness		Break Strength	Weight		Qty/Coil	
		inch	mm	inch	mm	lbs	lbs	kg	ft	M

Ribbon Wound Coils

ST305X	BLFDX04201	1/2	12.7	.020	.51	800	29.0	13.2	865	264
ST306X	BLFDX04250	1/2	12.7	.025	.63	1,000	29.0	13.2	690	210
ST308	BLFDX05208	5/8	15.8	.020	.51	1,000	37.0	16.8	865	264
ST309	BLFDX05257	5/8	15.8	.025	.63	1,250	37.0	16.8	690	210
ST311	BLFDX06206	3/4	19.0	.020	.51	1,200	44.0	20.0	865	264
ST312	BLFDX06255	3/4	19.0	.025	.63	1,500	44.0	20.0	690	210
ST313	BLFDX06297	3/4	19.0	.029	.74	1,800	44.0	20.0	560	171

* Use stainless steel wing seals with Steelbinder Strapping.



Portable Strap Dispenser For Steelbinder Strapping ST400

Heavy duty, light-weight strap dispenser features brackets to hold tensioning and cutting tools along with a covered tray to carry seals. Handle is provided for maximum portability.

Item No.	Part No.	Description	Coil type	Strap size		Weight	
				inches	mm	lbs	kg
ST400	CGCA621011	Vertical dispenser	Oscillated	3/8-3/4	9.5-19.0	15	6.8



Wing Seals

Stainless Steel Wing Seals can be used with Strapbinder economy stainless steel strapping and Steelbinder Strapping.

Item No.	Part No.	Width		Qty/Box	Weight	
		inch	mm		lbs	kg

Stainless Steel

ST154	202SSXX100	1/2	12.7	100	1.1	0.5
ST156	ST156VALUE	3/4	19.0	100	2.1	0.9
ST202SS	SLJPX04134	1/2	12.7	1,000	10	5.0
ST203SS	SLJPX05131	5/8	15.8	1,000	18	5.0
ST204SSHD	SLJPX06436	3/4	19.0	1,000	21	9.5



Sign Brackets

Stainless steel sign brackets are available for sign mounting, using Strapbinder® stainless steel coils. The brackets are threaded and available with or without bolts and washers.

Flared Leg Brackets (one hole)

Item No.	Part No.	Description	Qty/Box	Weight	
				lbs	kg
ST021	AABS204PAC	Stainless steel bracket with bolt and plastic washer	50	7.6	3.4
ST022	AABS210406	Stainless steel bracket only	50	6.0	2.7



Polebinder Bolt Clamp

Extruded aluminum fittings with zinc plated bolt, nut and washer. To be used with Strapbinder® Band for mounting pole hardware.

Item No.	Part No.	Description	Qty/Box	Weight	
				lbs	kg
ST500	ST500POLEB	Polebinder/bolt clamp for use with 3/4" strapbinder band. Includes plated nut, bolt 3/8-16 x 6" and washer	50	25	11.3
ST504	ST504POLEB	Polebinder bolt/clamp for use with 1-1/4" (31.7 mm) Bigbinder band. Includes plated nut, bolt 5/8-11 x 8" & washer	25	31.5	14.3

Special order only. Non-cancellable, non-returnable.



Band and Buckle Kit

ST277 Catalog CGXA594075

Handy for a wide range of applications, the Band and Buckle kit contains Strapbinder's stainless band, buckles, screw buckles and the Strapbinder tool. The kit is ideal for emergency pipe repairs, hose clamping and general applications.

Part No.	Kit Contents	Weight	
		lbs	kg
ST277	1 Strapbinder tool-ST001; 1 Roll 3/4"x.030" SS Strapbinder band-ST206; 1 Box 3/4" SS buckles-ST256 (100/ctn); 1 Box 3/4" SS Screwbinder buckles (25/ctn)-ST726	20	9



Portable Strap Dispenser

ST400 Catalog CGCA621011

Heavy duty, lightweight strap dispenser features brackets to hold tensioning and cutting tools along with a covered tray to carry seals. Handle is provided for maximum portability. (For Steelbinder strapping, see page 7.)

Part No.	Description	Coil type	Strap size		Weight	
			inches	mm	lbs	kg
ST400	Vertical dispenser	Oscillated	3/8-3/4	9.5-19.0	15	6.8



Steelbinder® Tensioner

ST101 Catalog MIP-1900

This heavy duty windless tensioner is used with stainless steel strapping. It features a cutter and hammer knob for wing seal closing. For use with 3/8" x 3/4" x .030 (9.3-19.0 x 0.76 mm) maximum strapping. Highly portable, fast, reliable ratchet type tool. For sign hanging, insulation work and general application.




Pistol Grip Tensioner

ST1902-D Catalog MIP-1800

Fast, reliable, easy to use for light duty application with 3/8" x 3/4" x .023 (9.3-19.0 x 0.58 mm) maximum strapping. Re-settable rack for additional take-up. One hand pistol grip operation is ideal for insulation and other light duty applications.

Part No.	Description	Weight	
		lbs	kg
MIP-1900	3/8"-3/4" x .030 (9.3-19.0 x 0.76 mm)	3.0	1.4
MIP-1800	3/8" x 3/4" x .023 (9.3-19.0 x 0.58 mm) pistol grip	2.5	1.1



Strapbinder®



High Performance Industrial Hose Clamps, Sign Mounting Systems, Banding, Buckles and Application Tools



1-800-251-3220 • STRAPBINDER.COM

IDEALTRIDON.COM | PROVEN DESIGNS, BILLIONS OF TIMES

GLOBAL HEADQUARTERS

8100 TRIDON DRIVE SMYRNA, TN 37167 USA

800.251.3220 | 615.459.5800

USA | MEXICO | CHINA | JAPAN | POLAND | INDIA



PLEASE RECYCLE

© 2016 Ideal Clamp Products, Inc. — Part No. 99999-8008-099 DEC 2016